SAMPLE TAKEOFF · CLIENT DETAILS REMOVED

Cedar Shingle Roof — New Garage

Detached garage · New York · hip roof, 18" red cedar shingles

749.2 SF	7.49 SQ	77.6 LF	105.0 LF
ROOF AREA	CEDAR SHINGLES	HIP CAP	DRIP EDGE

THE SCOPE

- A new red cedar shingle roof on a new detached garage.
- The whole roof gets #30 felt plus an ice & water shield under the shingles.
- The four hips get a cedar cap; all roof edges get a metal drip edge.
- One plumbing vent pipe is flashed through the roof.

ROOF

#	ITEM	QUANTITY
01	18" × 5/8" red cedar shingles	749.2 SF
02	Underlayment — #30 felt	749.2 SF
03	Underlayment — ice & water shield (whole roof)	749.2 SF
	Total roof	**7.49 SQ**

FLASHING & TRIM

#	ITEM	QUANTITY
01	Drip edge	105.0 LF
02	Hip cap	77.6 LF
03	Vent pipe flashing	1 EA

NOT INCLUDED

- Tear-off of any existing roof; the main house (only the new garage is in scope).
- Gutters and downspouts; wood fascia and soffit; cedar shingles on the walls.
- Roof sheathing, roof framing and roof ventilation outlets.

NOTES

- Quantities are measured from the plans — verify in the field before ordering.

SAMPLE